TAK1(Phospho Thr187) Rabbit Polyclonal Antibody



Cat:AWA40963

> Product Details

Host Species: Reactivity: Molecular Wt:

Rabbit Human, Mouse, Rat 67 kDa

Clonality: Isotype: Concentration:

Polyclonal IgG 1mg/ml

Other Names:

MAP3K7; TAK1; Mitogen-activated protein kinase kinase kinase 7; Transforming growth factor-beta-activated kinase 1; TGF-beta-activated kinase 1; CSCF; FMD2; TAK1;

MEKK7; TGF1a; TAK1(Phospho Thr187)

Formulation:

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Purification:

Affinity-chromatography

Storage:

-20 C,1 year

Applications

WB 1:500-1:2000

ELISA 1:10000

Immunogen Information

Gene Name Protein Name

MAP3K7 Mitogen-activated protein kinase kinase kinase 7

Gene ID SwissPro

6885 (Human) O43318 (Human) 26409 (Mouse) Q62073 (Mouse) 313121 (Rat) P0C8E4 (Rat)

Subcellular Location

Cytoplasm. Cell membrane.

Immunogen

The antiserum was produced against synthesized peptide derived from human TAK1 around the phosphorylation site of Thr187. AA range: 161-210.

Specificity:

Phospho TAK1 (Thr187) Polyclonal Antibody detects endogenous levels of Phospho TAK1 (Thr187) protein.